



Stop Pond & Fountain leaks **GUARANTEED!** One coat Application. No Primer Needed!

Do your water levels keep dropping? With a 30 year history of success our Pond Pro 2000 is your answer. Since it's a liquid it can conform to any shape or protrusion. Pond Pro success is that has been developed based on a urethane/polyether chemistry that permits for high elongation and adhesion in total water immersion environments. Pond Pro has a unique curing process that is catalyst based and chemically cross links to achieve a chemical bond to your fish pond.

What makes Pond Pro the choice of so many customers and pond repair businesses?

- Easy Application
- 5 year manufacturer warranty
- Safe for fish and plant life
- Ultra violet stable
- Can be recoated if desired
- Pond Pro will withstand temperatures from -62° to 350° F
- No primer needed on original pond surfaces
- A true do-it-yourself product
- Pond Pro is proven itself superior to acrylics, urethanes and other elastomers and lasts up to 3 times longer
- Withstands seasonal freezes and thaws

TESTIMONIALS

I am sorry I am reaching out to you so late after using your product! I never did take any good footage of applying the EPDM liner due to a rushed job but have told many other companies about the product and will stand behind it one hundred percent. It worked great for our application and was easy to use. Once again I am sorry for not getting any footage but I hope to continue to use your product in the future. Thank you,

*Donnie Harrington, Director of Fish and Invertebrates
Mystic Aquarium & Institute For Exploration*

As a professional pond installer I personally test each product that we use or recommend to our customers. I tested Pond Pro 2000 on two different ponds, the first was a small tear in an EPDM liner pond & the second was around a pipe connection through a perform pond that kept leaking. The Pond Pro 2000 worked great for both! I will use Pond Pro 2000 when doing repairs & recommend it to my customers! I can't wait to use it on a larger application.

Dave Burns, Backyard Getaway, Florida

Hi guys for starters wow great product. I need to cover a 230 sq ft koi pond. A leak that we were about to give up with and just tear out the whole liner. I don't have to tell you a nightmare that is. A bit skeptical I have to say at first but the results really speak for themselves. The product did just what it said it would save me money time and just overall convenience. The Pond Pro is really thick I guess that is why only one coat is needed. Since I ordered the product I completed two additional projects not as large but both satisfied customers

Brett Johansen, Water Garden creations

Well it has been 7 months since we first started using Pond Pro. We started out with my personal pond in our back showroom. It passed my test and that is a hard thing to do. December 2010 and about 14 projects later I can tell you without a doubt we will only be using your product for our projects. We were very impressed with its ease of use and the fact that it is a liquid EPDM and identical to the EPDM liners out there took out our worry with adhesion concerns.

Steve Schwartz, Waterfall Design LLC



Pond Pro is very similar to EPDM pond liners sold in pond supply stores. It works extremely well on all non porous concrete fountains as well as EPDM fishponds liners. Reflecting pools are another good application for PondPro. These are demanding applications where the unique properties of Pond Pro have a distinct advantage over other products. The success of Pond Pro 2000 is through combining ethylene and propylene with a diene monomer. Pond Pro 2000 is safe for fish and plant life as well as chlorinated water. It is resistant to oxidation and UV degradation but its most important property is its ability to tolerate both low as well as high temperatures (from minus 62 to plus 350 degrees Fahrenheit)



Pond Pro 2000

494 Bridgeport Ave,
Suite 101 PMB 342,
Shelton Ct 06484

info@pondpro2000.com

http://www.pondpro2000.com

MADE IN USA



Uses For PondPro 2000

- EPDM Liners/Membrane
- Fiberglass Liners
- Vinyl Liners
- Pools
- Concrete Fountains
- Concrete Ponds
- Weatherized Steel
- Cast Concrete Foundations
- Urethane Foam



Where can Pond Pro 2000 be used to its best advantage?

The unique combination of properties which Pond Pro 2000 possesses can be best utilized when they are applied to the exterior surfaces of stationary structures. Examples are:

Ponds and Fountains	Concrete fishponds and reflecting pools are another good application. These are demanding applications where the unique properties of Pond Pro have a distinct advantage over other products.
Air Conditioning drop pans	Excellent moisture barrier and rust inhibitor.
Concrete Tanks	The excellent Waterproofing properties of Pond Pro will reduce or prevent spilling of the concrete in cold climates.
Corrosive/Humid Environments	Exposed structural steel on the interior of industrial buildings with humid or corrosive environments can be coated with minimal surface preparation. Plating operations, smelters, concrete casting operations, dye works and paper mills are just a few examples. High-density poultry and hog production operations are another good use to protect steel from the corrosive environment.
Impoundments	Liquid EPDM coatings are a good choice for exterior spill containment structures because of their excellent weathering and broad chemical resistance properties.



INSTRUCTIONS:

With a gallon paddle mixer (available on our order form) move the drill in a circular fashion around the can and up and down for 3-4 minutes to insure the catalyst is uniformly mixed. Be sure to wear gloves for the application. Temperatures should be above 50 for 48 hours before filling the pond. Once the product has dried wash down the product with water and a soft brush or sponge to remove any residue before filling your pond.



APPLICATION:

Brush, roller or squeegee. A combination of methods might be most effective. For example, on a flat surface, pour a serpentine bead of material from pail, distribute roller brush or squeegee. On larger areas finish with a short nap roller to press air out of cracks and even out wet film.

